

**XGT** 40V max

# POWERFUL ILLUMINATION

**ML013G**  
MAGNETIC LIGHT



UP TO **1,200**  
MAXIMUM  
BRIGHTNESS

UP TO **29 HOURS**  
RUNTIME  
ON LOW SETTING USING BL4040

UP TO **2.4M**  
ILLUMINATION  
COVERAGE

	ML013	ML006	ML001	ML011	ML002	ML007
						
<b>LUMINOUS FLUX</b>	1200LM   800LM   500LM	500LM   250LM   100LM	160LM	300LM   150LM LAMP SHADE: 200LM   100LM	SIDE LIGHT: 710LM   340LM TOP LIGHT: 130LM	MODE 1: SPOT MODE 2: FLOOD MODE 3: SPOT-FLOOD MODE 4: STROBE  MODE 1: 600LM MODE 2: 1,000LM MODE 3: 1,250LM
<b>COLOUR TEMPERATURE</b>	DAYLIGHT WHITE (5,000K)	DAYLIGHT WHITE (5,000K)	WHITE	DAYLIGHT WHITE (5,000K) WARM LAMP SHADE (2,500K)	DAYLIGHT WHITE (5,000K)	WHITE
<b>LIGHTING COVERAGE</b>	FORWARD: UP TO 2.3M HORIZONTAL: UP TO 2.4M	-	-	-	-	MODE 1: Up to 640M
<b>LIGHT ANGLE ADJUSTMENT</b>	VERTICAL: 180° HORIZONTAL: 300° HORIZONTAL: 90° RIGHT   210° LEFT	VERTICAL: 180° HORIZONTAL: 300° HORIZONTAL: 90° RIGHT   210° LEFT	VERTICAL: 170°	-	-	VERTICAL: 90°
<b>APPROX. CONTINUOUS RUNTIME (WITH BL4040)</b>	HIGH: 12HRS MED: 18HRS LOW: 29HRS	HIGH: 20HRS MED: 40HRS LOW: 82HRS	55HRS	HIGH: 37HRS LOW: 64HRS	360°: 16HRS 180°: 29HRS TOP: 51HRS	MODE 1: 10HRS   MODE 2: 10HRS MODE 3: 7.5HRS   MODE 4: 10HRS
<b>DIMENSIONS (L x W x H)</b>	191MM x 91MM x 161MM (FOLDED CLOSED)	221MM x 85MM x 123MM (FOLDED CLOSED)	232MM x 88MM x 91MM (FOLDED UPWARDS)	107MM x 77MM x 50MM	102MM x 79MM x 317MM	273MM x 120MM x 106MM
<b>WEIGHT (SKIN)</b>	0.88KG	0.41KG	0.28KG	0.19KG	0.46KG	0.95KG
<b>WEIGHT (WITH BL4040)</b>	1.88KG	1.41KG	1.28KG	1.19KG	1.46KG	1.95KG

	ML003	ML005	ML009	ML012	ML010
					
<b>LUMINOUS FLUX</b>	1,100LM   450LM	3,600LM   1,800LM   900LM	10,000LM   4,000LM   2,000LM	1,700LM   800LM   400LM	5,500LM   3,000LM   1,500LM
<b>COLOUR TEMPERATURE</b>	DAYLIGHT WHITE (5,000K)	DAYLIGHT WHITE (5,000K)	DAYLIGHT WHITE (5,000K)	DAYLIGHT WHITE (5,000K)	DAYLIGHT WHITE (5,500K)
<b>LIGHTING COVERAGE</b>	2.8M	6.0M	9.7M	UP TO 3.3M	UP TO 3.0M
<b>LIGHT ANGLE ADJUSTMENT</b>	VERTICAL: 240°	VERTICAL: 210°	VERTICAL: 240°	VERTICAL: 180°	-
<b>APPROX. CONTINUOUS RUNTIME (WITH BL4040)</b>	HIGH: 10HRS LOW: 22HRS	HIGH: 3.5HRS MED: 7.5HRS LOW: 15HRS	HIGH: 4.8HRS MED: 13HRS LOW: 28HRS (2x BL4040)	HIGH: 7HRS MED: 15HRS LOW: 32HRS (UPPER & LOWER BARS ON)	HIGH: 11HRS MED: 19.5HRS LOW: 37HRS (2x BL4040)
<b>DIMENSIONS (L x W x H)</b>	249MM x 298MM x 280MM	248MM x 309MM x 269MM	248MM x 386MM x 305MM	972MM x 85MM x 100MM (FOLDED OPEN)	490MM x 490MM x 814MM
<b>WEIGHT (SKIN)</b>	3.4KG	4.6KG	6.1KG	1.0KG WITHOUT TELESCOPIC HOOK	14KG
<b>WEIGHT (WITH BL4040)</b>	4.4KG	5.6KG	8.1KG (2x BL4040)	2.0KG WITHOUT TELESCOPIC HOOK	16KG (2x BL4040)

## SPECIFICATIONS

<b>LUMINOUS FLUX</b>	1200LM   800LM   500LM
<b>COLOUR TEMPERATURE</b>	DAYLIGHT WHITE (5,000K)
<b>LIGHTING COVERAGE</b>	<b>FORWARD:</b> UP TO 2.3M <b>HORIZONTAL:</b> UP TO 2.4M
<b>LIGHT ANGLE ADJUSTMENT</b>	<b>VERTICAL:</b> 180° <b>HORIZONTAL:</b> 300° <b>HORIZONTAL:</b> 90° RIGHT   210° LEFT
<b>CONTINUOUS RUNTIME (WITH BL4040)</b>	<b>HIGH:</b> 12HRS   <b>MED:</b> 18HRS   <b>LOW:</b> 29HRS
<b>DIMENSIONS (L x W x H)</b>	191MM x 91MM x 161MM (FOLDED CLOSED)
<b>WEIGHT (SKIN)</b>	0.88KG
<b>WEIGHT (WITH BL4040)</b>	1.88KG

## HIGHLIGHTS



### ADJUSTABLE ILLUMINATION

Features a foldable rotating LED head that offers 180° vertical and 300° horizontal rotation. Ensuring flexibility in directing light where you need it most.



### HANDS FREE OPERATION

Use the strong magnetic base or the optional vice clamp too attach the light to almost any surface. Perfect for maintenance tasks in any work environment.



### COMPACT DESIGN

Folds down to an incredibly compact and lightweight unit. Taking up minimal storage space without sacrificing performance.



### TOOL HOOK

Hang the light using the built-in tool hook. Simply fold the hook from the base.

## FEATURES

**POWERFUL ILLUMINATION:** Delivers a maximum brightness of 1,200 lumens, with adjustable settings for high (1,200lm), medium (800lm), and low (500lm) to suit any work environment.

**HANDS FREE CONVENIENCE:** Equipped with powerful magnetic bars, this light easily attaches to ferrous metal surfaces enabling hands-free operation.

**COMPACT & PORTABLE DESIGN:** Engineered to be incredibly compact and lightweight, allowing for easy handling and storage without sacrificing performance.

**EYE-FRIENDLY TECHNOLOGY:** Designed with a diffusing lens to minimise overlapping shadows and glare, reducing eye strain for extended use.

**SMART BATTERY MANAGEMENT:** The battery capacity warning function alerts you when power is low, gradually dimming the LED's for a smoother transformation to ensure you're never left in the dark.



## STANDARD ACCESSORIES

**TD00000204**

Magnet Cover



## OPTIONAL ACCESSORIES

**GM00001396**

Vise Clamp



**191J68-8**

40Vmax XGT 4.0Ah Battery and  
Charger Kit

